



He shows his *Loyalty* to you veryday.

Search Results

"recombinant cell"

Search

[Advanced Search](#)
[About These Results](#)

powered by

Your search: "recombinant cell"

Search in: [The Web](#) | [Directory](#) | [News](#)

Sponsor Matches

([What are Sponsor Matches?](#))

- [Buy Cell Biology Books](#) - Buy the book Recombinant DNA at Andrewsmediaservices, an Amazon affiliate!
www.andrewsmediaservices.com

Web Matches

1 - 20 of 1,110 | [Next 20](#)

1. [Euroscreen Recombinant cell lines - US](#) - new. soon available. Mammalian **recombinant cell** lines [US]. If you do not find the receptor of interest in the following list, it might ...
www.euroscreen.be/02_02_01.html [search within this site](#)
2. [HeLa-IkB Recombinant Cell Line](#) - HeLa-I?B **Recombinant Cell** Line. Measures Degradation of I?B; Functional Cell based Assay that does not require Labeled Ligand; Sensitive ...
www.discoverx.com/Html/Products/invivo/hela_ikB.htm [search within this site](#)
3. [Pangene: Recombinant Cell Construction](#) - User Account: Sign In. **Recombinant Cell** Construction. Pangene's **recombinant cell** services will take the cDNA or gDNA clones from your ...
<https://www.pangene.com/services/rcell/> [search within this site](#)
4. [TNF-alpha, Soluble, Mouse, Recombinant, Cell Culture Grade, Kit\[...](#) - ...
TNF-alpha, Soluble, Mouse, **Recombinant, Cell** Culture Grade, Kit[1 Kit] [T1038]. Description: Kit contains 50 ug of rmsTNF-alpha plus 2x50ug of an enhancer. ...
www.agscientific.com/Item/T1038.htm [search within this site](#)
5. [Development and Utilization of a Recombinant Cell Bioassay to ...](#) - DEVELOPMENT AND UTILIZATION OF A **RECOMBINANT CELL** BIOASSAY TO DETECT DIOXIN-LIKE CHEMICALS IN HUMAN AND WILDLIFE SERUM AND MILK SAMPLES. ...
www.tsrtf.ucdavis.edu/funded_projects/97.98.RFP/abstracts/M.%20Denison%20abst.html [search within this site](#)
6. [EVALUATION AND USE OF A RECOMBINANT CELL BIOASSAY TO DETECT AND ...](#) (PDF) - EVALUATION AND USE OF A **RECOMBINANT CELL** BIOASSAY TO DETECT AND QUANTIFY INTERNAL PETROLEUM EXPOSURE IN SEA OTTERS (ENHYDRA LUTRIS) EXPOSED TO OR AT RISK OF ...
www.vetmed.ucdavis.edu/owcn/pdfs/EVALUATION_AND_USE_OF_A_RECOMBINANT.pdf [search within this site](#)
7. [SIBIA Neurosciences, Inc. v. Cadus Pharm. Corp.](#) - ... comparing the amount of transcription of a reporter gene or the amount of reporter gene product expressed in a first **recombinant cell** in the presence of the ...
www.patentcribsheet.com/Cases/sibia.html
8. [Lib #: WA20323 - A New Recombinant Cell Bioassay for ...](#) - ... Title: A New **Recombinant Cell** Bioassay for Utrasensitive Determination of Serum Estrogenic Bioactivity in Children. File Number: WA20323. ...
www2.waters.com/Watprod.nsf/docs/WA20323.html

9. **SBRP 2000-2005 Programs** - ... Patents: Bioassay for detecting 2,3,7,8-tetrachlorodibenzo-para-dioxin and TCDD-like compounds and novel **r combinant cell** line useful therefore. 1998. ...
www-apps.niehs.nih.gov/sbrp/program2000/PSearch.cfm?Pnum=4207&onum=342 [search within this site](#)
10. **Recombinant Cell Surface Receptors** - **Recombinant Cell** Surface Receptors. MJ Browne **Recombinant Cell** Surface Receptors. Biology Electrons in Solids... Democracy in Deficit... ...
www.videogames4u.co.uk/recombinant-cell-surface-receptors-924-531-265-4.html [search within this site](#)
11. **Ligands** (PDF) - ... CNTF CNTF, **recombinant Cell** Culture 01-195 25 µg \$299 Anti-Human Fas Ligand (clone B-R17) N FC / H 05-571 200 µg \$289 Fas Ligand (FasL), Membrane Bound Cell ...
www.upstate.com/img/pdf/ligands.pdf [search within this site](#)
12. **Sample Paper** (PDF) - ... various di-cistronic expression cassettes have been developed and optimised to allow the rapid cloning and isolation of highly expressing **recombinant cell** lines ...
www.alarpm.org.au/wc5&9/papers.PDF [search within this site](#)
13. **Pharmaceutical Technology - Euroscreen - De-Orphanizing G Protein ...** - ... These include: Mammalian **recombinant cell** lines (more than 70); Recombinant receptors as membrane preparations (more than 65); ... **MAMMALIAN RECOMBINANT CELL LINES**. ...
www.pharmaceutical-technology.com/contractors/compound_man/euroscreen/
14. **Research Scientist, Dept. Cell Biology/Pharmaceutical Development** (PDF) - ...
 Location : Western suburbs of Philadelphia, PA Description : Use Molecular Biology approaches to optimize **recombinant cell** lines as it pertains to their ...
www.egr.msu.edu/ispe/employment/phd_pharm.pdf
15. **JIN - Laboratory Head Applied Cell Biology - Dec 2002** - ... issues (personnel,investments,budget) as well as for the following duties: 1. Creation and characterization of high-expression **recombinant cell** lines for ...
www.esact.org/jin/jobs/021223ro.html [search within this site](#)
16. **Merck Sharp & Dohme - The Neuroscience Research Centre - ...** - ... The cell culture facility is a centre of expertise with two main roles: •, to maintain and propagate cell lines, and generate novel **recombinant cell** lines. ...
www.msd-nrc.co.uk/pages/science/biology/molbio_bio_cell.htm [search within this site](#)
17. **BioDetection Systems** - ... Species-specific **recombinant cell** lines as bioassay systems for the detection of 2,3,7,8-tetrachlorodibenzo-p-dioxin-like chemicals. ...
www.biodetectionsystems.com/lit_ldr.html [search within this site](#)
18. **Microbial Cell Factories | Full text | Old bugs for new tasks; ...** - ... the emerging need for a wide-spectrum, efficient protein production in the proteomics era has favoured a deeper analysis of the **recombinant cell** physiology. ...
www.microbialcellfactories.com/content/1/1/4 [search within this site](#)
19. <http://vax.wcsu.edu/courses/bio/215/Unit4/Genetics2.ppt> (MICROSOFT POWERPOINT) - ...
 New **recombinant cell**. Starting cell. DNA pieces in environment. ... TRANSDUCTION, STEP 5.
 New **recombinant cell**. TRANSDUCTION COMPLETE. New **recombinant cell**. Starting cell. ...
vax.wcsu.edu/courses/bio/215/Unit4/Genetics2.ppt
20. **Intota - Search Results** - ... Related Search Terms. -, **recombinant cell**. -, genetic engineering. ... , recombinant protein. -, recombinant antibody. Search Results for '**rec mbinant cell**' ...
biospace.intota.com/multisearch.asp?strSearchType=all&strQuery=recombinant%20cell [search within this site](#)

1 - 20 of 1,110 | [Next 20](#)

Search in: [The Web](#) | [Directory](#) | [News](#)

Search for "**recombinant cell**" in...

[Yahoo! Shopping](#), [Yahoo! Auctions](#), [Yahoo! News](#),

Search in other search engines

[AltaVista](#) - [Ask Jeeves](#) - [More...](#)

Try a new search:

[Advanced search](#) | [Help](#)

Help improve Yahoo! by participating in our [user studies](#)

Promotional Links

[Art.com- Prints & Posters](#) - [\\$7.95 domains Aplus.Net](#) - [Web hosting by Aplus.Net](#) - [Rent DVDs-FREE](#)



He shows his *Loyalty* to you everyday.

Copyright © 2003 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Suggest a Site](#)
Search Technology provided by Google

BACTERIAL GENETICS, CONTINUED

MUTATION

Change in genetic material (base sequence of the DNA)

TYPES OF MUTATION

A T A G G C T C C A T C

Base substitution

A C A G A C T C C A T C

(May or may not be Missense)

Nonsense

A T C G G C T C C A T C

Frameshift

A T A G T C C A T C

{ { }

HOW DOES MUTATION OCCUR??

Mistakes in replication - chemical mutagens - radiation

Compounds that cause mutation are called mutagens
Mutations that occur without seeming cause are
‘spontaneous’

Cells have safeguards and repair mechanisms

MUTATIONS CAN BE BENEFICIAL!

THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THQ ONE BIG FLY HAD ONE RED EYE

*Point mutation,
missense*

THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE QBI GFL YHA DON ERE DEY E

*Frameshift,
insertion*

THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG

Nonsense

THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG HAD ONE RED EYE

Deletion

THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY ONE BIG FLY HAD ONE RED EYE

***Tandem
duplication
(repeats)***

THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG FLY HAD ONE RED EYE
THE ONE BIG WET FLY HAD ONE RED EYE

Insertion

Why is mutation such a significant process in biology???

It makes natural selection and evolution possible

It's the foundation for all the variability we see around us (variability is key to our survival, and that of other species, including bacteria)

Mutations are the cause of genetic (inherited) disease

Mutation allows bacteria to respond to environmental change that we thrust upon them (e.g. antibiotic resistance)

Deliberate and directed mutation is something we do in the laboratory to learn about genes and proteins. Mutant bacteria and mice have taught us VOLUMES about the human genome!



INTRONS, EXONS, NON-CODING DNA

Noncoding DNA, sequence between genes

Introns


Exons

Eukaryotes only



Prokaryotes
only

Operons!



Gene 1


Gene 2

1 mRNA

2,3 or more
proteins!




PROTEIN 1



PROTEIN 2

The famous 'Lac' operon



An inducer binds to repressor, rendering it non-functional

How are prokaryotes different from eukaryotes, genetically?

smaller genome

no nucleus

1 circular chromosome

no introns

less non-coding DNA

have operons

Let's review




SHARE DNA by transduction, conjugation, and transformation

Prokaryotes reproduce by producing clonal copies of themselves.

Therefore, new combinations are not possible.....hmmm

Or are they????



**YES - NEW CHROMOSOMAL
COMBINATIONS ARE POSSIBLE THROUGH
MUTATION (occurs in eukaryotes also)**

**AND YES - NEW CHROMOSOMAL
COMBINATIONS ARE POSSIBLE THROUGH
3 TYPES OF RECOMBINATION that do not
occur in eukaryotes!**

1. TRANSFORMATION

Transformation occurs when cells take up pieces of DNA from the environment


TRANSFORMATION

Pieces of DNA are taken into a bacterial cell from the environment


- The DNA usually comes from other cells that have broken apart

Cells only take up DNA under certain conditions


Frederick Griffith first discovered this process in 1928, using *Streptococcus pneumoniae*



DNA pieces in
environment



Starting cell




New recombinant cell


Please read about Griffith's Experiment in your text



① Living encapsulated bacteria injected into mouse




② Mouse died




③ Colonies of encapsulated bacteria were isolated from dead mouse

(a)

① Living nonencapsulated bacteria injected into mouse




② Mouse remained healthy




③ A few colonies of nonencapsulated bacteria were isolated from mouse; phagocytes destroyed nonencapsulated bacteria

(b)

① Heat-killed encapsulated bacteria injected into mouse




② Mouse remained healthy




③ No colonies were isolated from mouse

(c)

① Living nonencapsulated and heat-killed encapsulated bacteria injected into mouse




② Mouse died




③ Colonies of encapsulated bacteria were isolated from dead mouse

(d)

VERTICAL GENE TRANSFER




HORIZONTAL GENE TRANSFER



2. TRANSDUCTION


Transduction occurs when bacteriophage infect cells, and carry bacterial DNA from cell to cell.



BACTERIOPHAGE

STARTING CELL


TRANSDUCTION, STEP 1





BACTERIOPHAGE

STARTING CELL



TRANSDUCTION, STEP 2






TRANSDUCTION, STEP 3



TRANSDUCTION, STEP 4




TRANSDUCTION, STEP 5




New recombinant cell


TRANSDUCTION COMPLETE



**Starting cell
(donor)**



**Another cell
(recipient)**




**New
recombinant
cell**

3. CONJUGATION


Conjugation occurs when related cells SHARE copies of special plasmids (F-plasmids or R-plasmids)

CONJUGATION

First, what is a plasmid???



- Extra-chromosomal DNA
- Gets copied independently of chromosome
- May or may not get carried into daughter cell
- Cell copies plasmid when gene products are needed
- Genes typically present may encode antibiotic or metal resistance proteins
- Closely related cells can SHARE plasmid copies



Donor cell (F+) passes a COPY of F into
recipient cell (F-)

Recipient cell becomes F+

CONJUGATION

Requires a conjugative plasmid!

- The plasmid has special genes on it that facilitate conjugation


The plasmid genes are not necessary for the cell's growth and reproduction, but they add special abilities

- requires direct cell contact, sex pili involved


Special plasmid is called the F plasmid in *E. coli*

Cells with this plasmid are called F+ (without, F-)


When an F⁺ cell shares its plasmid with another cell - the new cell now has a plasmid it never had before. But it is not a recombinant. (Why?)



DONOR



RECIPIENT



'NEW CELL'

A NEW RECOMBINANT CELL CAN OCCUR BY THE FOLLOWING MECHANISM:

F factor genes can become integrated into the bacterial chromosome.


If they do - we say the cell is Hfr (High frequency of recombination).

When an Hfr cell mates with an F- cell, conjugation begins just as we have described



But when the DNA is copied and sent into recipient cell, some of the rest of the chromosome may go too!

Then, recombination can occur, and the recipient cell has a new combination of genes in its chromosome.


F-plasmid
DNA, in the
chromosome



Hfr cell



NEW RECOMBINANT CELL



Whereas this cell is not?

Why is this cell a recombinant -

REVIEW:

Bacterial cells CAN achieve variation through mutation

Bacterial cells also achieve new gene combinations through 3 unique processes

Transformation occurs when DNA pieces are taken up from the environment

- Conjugation occurs when cells share plasmids

Transduction occurs when new BACTERIAL genes are integrated into chromosome because of phage infection